



軟標識印表機 隨您心意



成就您所想的一台軟標識數位印表機， EFI™ VUTEk® FabriVU 520 印表機。

首先，5 米寬幅的印表機，能夠幫助擴展您的業務，包括牆繪、劇院帷幕以及其他寬幅面應用。高品質的列印品質也是必不可少，才能滿足更大範圍的高利潤業務。其次，要確保它是行業同級別中生產力最高的印表機，滿足 24 小時不間斷生產的需求，同時擁有直噴和轉印兩項應用，領先於行業。最後，在以上優勢的基礎之上，您還擁有最低的成本。

概要

5米軟標識印表機，滿足您的所需

- 擁有超寬色域和高色彩飽和度的鮮活亮麗的四色列印，讓織物類印刷品栩栩如生。
- 高達 2400 dpi 的超高解析度和四級灰度列印，墨滴大小從 4pL 到 18pL
- 水性分散染料油墨
- 生產速度最大每小時 242 m²
- 直噴在紡織品或通過轉印紙實現轉印
- 自動打印頭清潔站增加了印表機正常執行時間
- 加蓋站可讓您的系統保持正常運行
- 獲得專利的油墨再循環系統提高了油墨使用
- 褶皺檢測系統可防止打印頭撞擊，減少維修費用

無縫生產應用以及其他高端圖像展示的最佳選擇，包括：

- 活動背板的圖像展示
- 旗幟
- 牆繪
- 橫幅
- 劇院帷幕
- 內打光圖像展示



具有優勢的染料熱昇華列印

直噴和轉印都各具優勢。所以需要使用一款易於切換，能同時做這兩項作業的軟標識印表機。兼具最大化的通用性及其獨有性能，意味著 EFI 軟標識印表機擁有最大的投資回報率和盈利能力。



我們使用高解析度的打印頭確保列印圖像的過程中 pass 道更少。更少的 pass 道意味著更精確的點位佈局和更高效的油墨使用。獲得更高品質的圖像，過渡更平滑，字體更清晰。



我們獲得專利的油墨再循環系統，使油墨能夠經由打印頭迴圈，再回到主容器。借助該系統，可以節省其他系統所丟失油墨的 95%。



我們的特殊油墨配方中水分更少，您可以使用更輕、更便宜的紙張。更輕的紙張意味著更快的傳輸時間，消耗的能源更少，從而提高您的生產力。



EFI VUTEk FabriVU 520

介質/處理

- 最大列印寬度 520 cm
- 織物重量從 45 至 450 gr/m²
- 輸入和輸出：標準滾動拆卷機/複卷機，最大 350 mm 外徑
- 乾燥器：加熱壓印盤

解析度

- 最高 2400 dpi

生產力

- 最大生產速度可達每小時 446 m²
- 生產圖像品質：每小時 242 m²
- POP 圖像品質：每小時 157 m²

檔案格式

- 所有常用桌面檔案格式，包括 PostScript® 3™、EPS、TIFF、PDF、RGB/CMYK

環境因素

- 溫度: 20–24 °C
- 濕度：40-60%
- 重量：7,800 kg

- 印表機和乾燥機尺寸（長 x 寬 x 高）：
801.1 cm x 217.2 cm x 218.9 cm
- 印表機電氣：3 相 · 400V · 50Hz · 30kW
- 水壓：
 - 最小：1.5 巴
 - 最大：2 巴
- 水量：每小時 5 升
- 水溫：20–25 °C

EFI Fiery® proServer

- VUTEk 印表機的色彩管理工作流程和優化的點陣影像處理*
 - 先進而易於使用的色彩管理工具，用於 CMYK 特性檔創建和品質控制
 - EFI ES-2000 分光光度計
 - 強大的嵌套、步進重複、縮放、裁剪、拼接和切割標誌生產工具
 - Fiery 工作站，包括機架、鍵盤和滑鼠
 - 為期兩天的現場 Fiery 顏色和 workflow 實施服務
- * 在 efi.com 上查看此印表機的最新 Fiery proServer 規格和可用性

純正的 EFI 油墨

- 水性 CMYK 分散染料油墨

EFI 助力成功。

我們致力於標牌、包裝、紡織品、瓷磚以及個性化文檔研發出突破性技術，憑藉種類繁多的印表機、墨水、數位化前端以一套全面的業務流程和生產 workflow 套件，即簡化整體生產流程又可相互無縫連接，提升您的競爭力以及工作效率。請瀏覽 www.efi.com 或撥打 886 2 8792-0699。



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

The APPS logo, AutoCal, Auto-Count, Balance, BESTColor, BioVu, BioWare, ColorPASS, Colorproof, ColorWise, Command WorkStation, CopyNet, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, Digital StoreFront, DirectSmile, DocBuilder, DocBuilder Pro, DockNet, DocStream, DSFdesign Studio, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, Entrac, EPCount, EPPhoto, EPRegister, EPStatus, Estimate, ExpressPay, FabriVU, Fast-4, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, Fiery JobFlow, Fiery JobMaster, Fiery Link, Fiery Navigator, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, Inkintensity, Inkware, Jettrion, the Jettrion logo, LapNet, Logic, Metrix, MicroPress, MiniNet, Monarch, OneFlow, Pace, Pecas, Pecas Vision, PhotoXposure, PressVu, Printcafe, PrinterSite, PrintFlow, PrintMe, the PrintMe logo, PrintSmith, PrintSmith Site, PrintStream, Print to Win, Prograph, PSI, PSI Flexo, Radius, Remoteproof, RIPChips, RIP-While-Print, Screenproof, SendMe, Sincolor, Splash, Spot-On, TrackNet, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEk, the VUTEk logo, and WebTools are trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries.

All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.